What is claimed is:

•	1.	A nodsing for a computer system, the nodsing comprising.
2		a storage compartment including:
3		a body having an interior, a bottom and a sidewall that define the interior, and a passage operable to allow an item disposed
5		within the interior to be communicatively coupled to another
6		item outside the interior; and
7		a lid.
1	2.	The housing of claim 1 wherein the interior is sized to retain a PDA.
1	3.	The housing of claim 1 wherein the interior is sized to hold storage media.
1	4.	The housing of claim 1 wherein the sidewall includes the passage.
1 2	5.	The housing of claim 1 wherein the storage compartment includes a coupling element operable to couple the lid to the sidewall.
1 2	6.	The housing of claim 1 wherein the storage compartment includes a locking element operable to retain the lid in a closed position.
1	7.	The housing of claim 1 wherein:
2		the housing further comprises a conduit having an opening; and
3		the passage opens to the conduit's opening.
1	8.	A housing for a computer system, the housing comprising:
2		a storage compartment including:
3 4		a body having an interior, a bottom and a sidewall that define the interior, and
5 6		a lid having an opening operable to allow access to an item disposed within the interior.
1 2 3	9.	The housing of claim 8 wherein the interior is sized to retain a camera docking station, and when a camera is coupled to the docking station, the camera protrudes through the opening

1	10.	A computer system comprising:
2		a housing having a storage compartment to retain an item and including:
3 4 5 6	·	a body having an interior, a bottom and a sidewall that define the interior, and a passage operable to allow an item disposed within the interior to be communicatively coupled to another item outside the interior; and
7		a lid.
1	11.	A computer system comprising:
2		a housing having a storage compartment to retain an item and including:
3 4		a body having an interior, a bottom and a sidewall that define the interior, and
5 6		a lid having an opening operable to allow an item disposed within the interior to protrude through the opening.
1	12.	A method for storing an item, the method comprising:
2		placing an item in an interior of a storage compartment that includes a lid and a body having a bottom and a sidewall that define the interior;
4 5		extending a cable from the exterior of the storage compartment through a passage in the body; and
6		coupling the cable to the item in the interior.
1 2 3	13.	The method of claim 12 wherein extending a cable from the exterior of the storage compartment includes extending the cable through an opening of a conduit.
1	14.	The method of claim 12 further comprising closing the lid.
1	15.	The method of claim 12 further comprising:
2		closing the lid, and
3		supporting another item on the lid.
1	16	A method for storing an item, the method comprising:

_	placing an item in an interior of a storage compartment that includes a lid
3	having an opening, and a body having a bottom and a sidewall that
4	define the interior;
5	inserting another item through the opening; and
3	coupling the items together.